

Treat Graphic 2

Treat Syste

1-

Treat Graphic 3





Osmose[®]

• Interface with your accounting system

Designed and developed by Osmose engineers, the Osmose Process Control System (PCS) has been designed to meet the requirements of customers who demand the highest level of process control and information management.

PCS Key Features

- The Osmose PCS can be fully customised to suit your unique operation
- Full automation or manual override
- Detailed charge by charge information including reconciliations
- Detailed process information
- Interface with inventory control and accounting systems
- Security and access protocols
- PCS can manage up to three treating cylinders simultaneously
- 24 hour phone support and remote log-in
- Flexible system allows new formulations and or process cycles to be added or modified at any time
- Automated backup system
- Data search function


Osmose PCS is suitable for use with all Osmose high & low pressure preservative systems including:





Process Control System Have greater control over your operation!





Example of a treatment charge in progress

Intern.		illin.	- 41 HE (Sectors for period			-	Contraction Contra	1910
P		· · ·	a a horizon	- 10.00	ne here	1		1000	-
APRIL T T	1 1 4	A 11 11	11 2 2 2 2	10 10		1.94	10.0	8.04	Sec.
A 10 4	7 1 1	2 2 2	2. 2. 2. 3		12 12	And a state of the local division of the loc		100	14
Panar 1 - 1 - 1 -	1 1 1 1 1				- 10 - 1 - 1	1000		1.00	1.64
	10.110.00	8 44 54	100 100 100 10		100	in the	104	1.14	(Marcal
141 1 1	2 1 1	1 11 11	461 8 8 6		12 1	1.0.0	1045	1.00	1.000
the local data in the local da	2 2 2				1200				
744. 0.0	10.00	4 44 14	MAX 10 10 10	100 100		and the	1.00	8.00	104
-	Angel	and a second	lothin in	-				A100	_
1016	122	101 0		THE	10	-12			
1em	1						1.14		4
has .	1	-			Annual Municipality	-	1 14	-	-
	1	=	10	-				-	-02
	1	Tabasa a	No. of Concession, Name		1 ALL AND A	-	1	94	11
	-	-	15		1 ALL AND A	11	1	34	
	Pro d	Tabiene I	Total Star		An of the local division of the local divisi	12	Longe	94	2
	Per a	Takirana Aliki	Countyfeet Deskty			- 12	Lange	94	2 ²
	Pere Description Chillington	Fathrenae 4000	The State				Langen	80	4 ²
	Pere Description Controller Controller Controller	Anno Anno Anno Anno Anno Anno Anno Anno	The State				Lorge	-	44 4 ³ 18
	Pers Demotor Commission Demotor Demotor	Anternar 4000 4000 4000 4000	Ceanigten Debig Incing Incing Incing		1000 A 20		Lorgen	91	** **
	PHE # DAMINGER DAMINGER DAMINGER DAMINGER DAMINGER DAMINGER	Rahoenar 000 000 000 000 000 000 000 000	Creatigner Deshigter Deshig Deshig Deshig Deshig Deshig				Langer B B B B B	9x	4 ³ 18 18 18

Example of a charge sheet

Only top guality components...

are used to automate your treatment plant.

• Two PC's ...

are used in a network, in case one PC fails the other one can continue to run your plant.

 Uninterrupted Power Supply (UPS) and surge protection ...

is always installed to minimise interruption.

• User friendly ...

and easy to learn interface.

Touch screens ...

are optional.

Safety system ...

logs all plant actions and alarms.

• Emergency notification ...

with telephone or paging system.

• Automatic mix system ...

calculates chemical additions – then controls the additions with a single button click.

Tank circulation can be automated ...

can be left running as it will pause when the tank is in use for treating.

Training:

On-site training will be supplied by your Osmose® Territory Manager. Back-up and support is just a phone call away as most questions should be able to be dealt with over the phone. Our representatives are also able to provide on-site assistance during our service calls.

Osmose New Zealand Customer Support 0800 78 70 70 www.osmose.co.nz